



B_MNO_VDNB_0008 (08/19)

PALATABLE ORAL SOLUTION FOR DOGS

Association of essential ingredients for a progressive re-feeding of cats in the recovery period.

COMPLEMENTARY FEED FOR DOGS

STORAGE CONDITIONS:

Store at or below 25 °C. Once opened, store in the fridge and consume within 7 days.

COMPOSITION:

Meat and animal derivatives (4,74 %),
Derivatives of vegetable origin (6,14 %),
Oils and fats (1,29 %),
Chicory inulin (0,3 %),
Fructo-oligosaccharides (0,11 %),
Minerals (0,69 %).

DESCRIPTION: NUTRIBOUND provides the essential nutrients especially recommended to support the animal in recuperation conditions, from the very early stages.

PROPERTIES: NUTRIBOUND liquid formula is highly palatable and ready-to-use. This association of essential ingredients encourages the animal to drink and to eat until a return to usual diet.

Arginine	Amino acid, precursor of nitric oxide having an important role for the immune function and cell division.
Taurine	Organic substance having antioxidant properties and, essential for the cardiovascular system; has important function for skeletal muscles, for the retina and the central nervous system.
Glutamine	An important role for the maintenance of the integrity of the gastrointestinal tract and the immune system.
Essential fatty acids (Omega 3 and Omega 6)	These fatty acids are required for biological processes like phospholipid and sterol building blocks for cellular growth and repair, and for synthesis of prostaglandins, leukotrienes and thromboxanes.
Prebiotics (Inulin, Oligofructose)	Prebiotics are natural soluble fibers found in low concentrations in many plants that stimulate the growth and activity of which are beneficial to the health and bacteria in the digestive system.
Vitamins	Vital organic compounds required by an organism that must be obtained from the diet, or specific supplementation.

No artificial preservatives or coloring agents added.

DIRECTIONS FOR USE - Use only as directed

To open the bottle for the first time, unscrew the white cap and perforate the safety film.

INSTRUCTIONS FOR USE:

To open the bottle for the first time, unscrew the white cap and perforate the safety film.

1 - Shake well before use. Sedimentation is normal.



2 - Measurement.

It is recommended that a veterinarian's opinion be sought in case of doubt about the animal's condition.

NUTRIBOUND can be given pure, with water or poured on the food.

Water should be available at all times.


Use the cup inside the box for an accurate measurement and give NUTRIBOUND as follows:

Use the cup inside the box for an accurate dosage and give NUTRIBOUND as follow:

Bodyweight (kg)	Quantity of NUTRIBOUND
0 -10	15 -30 ml
10 -20	30 -50 ml
<20	50 -70 ml

This table is given as an indication.

NUTRIBOUND can be given during the convalescence period, from the earliest stage and until a return to a usual diet occurs. The recommended protocol is divided into 3 phases:



- Start-up:


From the first hours of the convalescence period the dog can be given NUTRIBOUND in order to achieve rehydration and the supply of the essential nutrients.

2 - Follow-up:

After 48 hours, introduction of feeding is necessary. To increase tolerance in heavily affected animals, small and repeated intakes of high energy and highly digestible nutrients are recommended in addition to NUTRIBOUND (e.g. Nutri-plus gel from Virbac).

3 - Transition:

NUTRIBOUND can be given with the usual diet to help the pet to return to its normal diet.



This liquid form also enables syringe or tube feeding.

PRESENTATION:

150ml bottles. One pack contains 1 bottle 150ml and one measuring cup.

Registration holder:

VIRBAC RSA (Pty) Ltd, (Reg. No. 1990/003743/07),
Private Bag X115, Halfway House, 1685, South Africa
Tel: +27 12 657 6000

05/19 CC3187-04102016
Nambica Reg. No: N-FF4238



SMAAKLIKE ORALE OPLOSSING VIR HONDE

Assosiasie van noodsaaklike bestanddele vir progressiewe herinstelling van voeding van honde in die herstelperiode.

AANVULLENDE VOEDSEL VIR HONDE

BERGINGSANWYSINGS:

Berg by of benede 25 °C.

Berg in die yskas en gebruik binne 7 dae, nadat dit oop gemaak is.

SAMESTELLING:

Vleis-en-dierderivate (4,07 %),
Derivate van plantaardige oorsprong (6,70%),
Olies en vette (1,50 %),
Minerale (0,62 %),
Sigorei-inulien (0,3 %),
Frukto-oligosakkariede (0,11 %).

BESKRYWING:

NUTRIBOUND verskaf die noodsaaklike voedingstowwe wat spesiaal aanbeveel word om die dier vanaf die vroeë aanvangstadiums van hersteltoestande te ondersteun.

EIENSKAPPE:

NUTRIBOUND vloeistof formule is baie smaaklik en gebruiksgereed. Hierdie assosiasie van noodsaaklike bestanddele moedig die dier aan.

Arginien	Aminosuur, voorloper van stikstofoksied wat 'n belangrike rol speel by die immuunfunksie en seldeling.
Tourien	Organiese stof met antioksidante eienskappe en noodsaaklik vir die kardiovaskulêre stelsel; het 'n belangrike funksie vir die skeletspiere, die retina en die sentrale senuweestelsel.
Glutamien	'n Belangrike rol vir die handhawing van die integriteit van die spysverteringskanaal en die immuunstelsel.
Essensiële vetsure (Omega 3 en Omega 6)	Hierdie vetsure word benodig vir biologiese prosesse soos fosfolipied- en sterolboublokke vir sellulêre groei en herstel, en vir sintese van prostaglandiene, leukotriene en tromboksane.
Prebiotika (inulien, oligofruktose)	Prebiotika is natuurlike oplosbare vesels wat in lae konsentrasies in baie plante aangetref word, wat die groei en aktiwiteit stimuleer wat voordelig is vir die gesondheid en bakterieë in die spysverteringstelsel.
Vitamiene	Lewensbelangrike organiese verbindings wat deur 'n organisme benodig word, wat uit die dieet, of deur spesifieke aanvulling verkry moet word.

Geen kunsmatige preserveermiddels of kleurmiddels is bygevoeg nie.

GEBRUIKSAANWYSINGS - Gebruik slegs soos aangedui

Om die bottel vir die eerste keer oop te maak, skroef die wit doppie af en perforeer die veiligheids_lmlagie.

1 - Skud goed voor gebruik. Afsakking is normaal.



2 – Afrmeting.

Dit word aanbeveel dat 'n veearts se mening verkry word in geval van twyfel oor die toestand van die dier.


NUTRIBOUND kan net so gegee word, met water, of oor kos gegooi word.

Water moet te alle tye beskikbaar wees. Gebruik die maatbeker in die k artonhouer vir 'n akkurate meting en gee NUTRIBOUND soos volg:

Liggaamsmassa (kg)	Hoeveelheid NUTRIBOUND
0 -10	15 - 30 ml
10 - 20	30 -50 ml
< 20	50 -70 ml

Hierdie tabel word as 'n aanduiding gegee.

NUTRIBOUND kan tydens die hersteltydperk gegee word, vanaf die vroegste stadium totdat daar teruggekeer is na die gewone dieet. Die aanbevole protokol is in 3 fases verdeel:



1 - Aanvang:

Vanaf die eerste ure van die hersteltyd kan NUTRIBOUND vir rehidrasie en vir die voorsiening van noodsaaklike voedingstowwe aan die hond gegee word.

2 - Opvolg:


Na 48 uur is dit nodig om met voeding te begin.

Om verdraagsaamheid by swaar aangetaste diere te verhoog, word klein en herhaaldelike innames van hoë-energie en hoogs verteerbare voedingstowwe bykomend tot NUTRIBOUND aanbeveel (bv. Nutri-plus jel van Virbac).

3 - Oorgang:

NUTRIBOUND kan met die gewone dieet gegee word om die troeteldier te help om na sy normale spysvertering terug te keer. 150 ml bottels. Een pak bevat 1 bottel van 150 ml en een maatbeker.

Hierdie vloeistofvorm maak ook spuit- of buisvoeding moontlik.



AANBIEDING:

150 ml bottels. Een pak bevat 1 bottel van 150 ml en een maatbeker..

Registrasiehouer:

VIRBAC RSA (Pty) Ltd
(Reg. No. 1990/003743/07)
Private Bag X115
Halfway House
1685
South Africa
Tel: +27 12 657 6000

05/19 CC3187-04102016
Nambia Reg. No: N-FF4237

NUTRIBOUND FOR DOGS 03/19 CC3186-04102016
Approved text (Act 36/1974) or signed off internally (Act 101/1965) and
Registration certificate to accompany all checklist

Regulatory Pharmacist / Officer:

- Proof reading and mark-up of Editor's Copy (revision of / change to approved artwork) utilising approved text as reference.
- Proof reading (new artwork) utilising approved text as reference.
- Perform comprehensive check according to requirements of Act 101 / Act 36 / other regulatory bodies, in conjunction with the artwork checklist.
- Reviews Artwork Check List for correctness in line with current legislation and make changes accordingly.
- Read complete Label/Carton/Package Insert for correctness including language, spelling, text, graphics and legals and the Artwork Checklist.

APPROVED

DATE

Product Managers / Specialist/ Business Unit Managers:

- Check artwork layout and marketing images, colours, spelling errors and Product information.
 - Check mock-ups/dummy packs
 - Provide information to complete Basic Data Sheet for new products
 - Proof reading within 3 business days
- Read complete Label/Carton/Package Insert for correctness including language, spelling, text, graphics and legals and the Artwork Checklist.

APPROVED

DATE

Operations Manager/Production Manager:

- Fitness for use
- Compatibility with equipment
- Variable print information: Lot/Expiry/Date of Manufacture
- Presence of pack size
- Presence of barcodes
- Read complete Label/Carton/Package Insert for correctness including language, spelling, text, graphics and legals and the Artwork Checklist.

APPROVED

DATE

Responsible Pharmacist / Regulatory Affairs Manager:

- Approves Master Specification Sheet
- Read complete Label/Carton/Package Insert for correctness including language, spelling, text, graphics and legals and the Artwork Checklist.

APPROVED

DATE
